ELSEVIER

Brain Research 649 (1994) 357–359

BRAIN RESEARCH

Author Index

Abe, K., Cho, S.I., Kitagawa, I., Nishiyama, N. and Saito, H.
Differential effects of ginsenoside Rb1 and malonylginsenoside Rb1 on long-term potentiation in the dentate gyrus of rats (649) 7
Ariano, M.A. and Sibley, D.R.
Dopamine receptor distribution in the rat CNS: elucidation using anti-peptide antisera directed against D_{1A} and D_3 subtypes (649) 95
Artaud, F., see Galli, T. (649) 243
Asada, M., see Mizuguchi, M. (649) 197

Besson, M.-J., see Kayadjanian, N. (649) 129
Bhargava, H.N. and Thorat, S.N.
Effect of dizocilpine (MK-801) on analgesia and tolerance induced by U-50,488H, a κ-opioid receptor agonist, in the mouse (649) 111
Blache, D., see Fabre-Nys, C. (649) 282
Boatright, J.H., Gordon, J.R. and Iuvone, P.M.
Inhibition of endogenous dopamine release in amphibian retina by L-2-amino-4-phosphonobutyric acid (L-AP_4) and *trans*-2-aminocyclopentane-1,3-dicarboxylate (ACPD) (649) 339
Bohn, M.C., see Wetzel, D.M. (649) 117

Cappon, G.D., see Pu, C. (649) 217
Carlberg, M., see Johansson, K.U.I. (649) 36
Carlen, P.L., see Perez-Velazquez, J.L. (649) 305
Chalmers, D.J., see Schulte, M.K. (649) 203
Chan, P.H., see Karibe, H. (649) 12
Chase, M.H., see López-Rodríguez, F. (649) 271
Chen, S.F., see Karibe, H. (649) 12
Chéramy, A., see Galli, T. (649) 243
Cho, S.I., see Abe, K. (649) 7
Chui, D.-H., see Konishi, Y. (649) 53
Cunha, R.A., Johansson, B., Van der Ploeg, I., Sebastião, A.M., Ribeiro, J.A. and Fredholm, B.B.
Evidence for functionally important adenosine A_{2a} receptors in the rat hippocampus (649) 208

Delapaz, R., see Merchant, T.E. (649) 1
Deminière, J.-M., see Lemaire, V. (649) 348
Desban, M., see Galli, T. (649) 243
De Souza, E.B., see Takao, T. (649) 265
Diamantis, P.M., see Merchant, T.E. (649) 1
Dickson, D.W., see Ksiezak-Reding, H. (649) 185
Doucette, R., Kott, J. and Westrum, L.
The development of glial fibrillary acidic protein-positive cells and the appearance of laminin-like immunoreactivity in fetal olfactory bulb transplants (649) 334

Erickson, J.C., Sewell, A.K., Jensen, L.T., Winge, D.R. and Palmiter, R.D.
Enhanced neurotrophic activity in Alzheimer's disease cortex is not associated with down-regulation of metallothionein-III (GIF) (649) 297
Eriksson, B., see Niklasson, M. (649) 151

Fabre-Nys, C., Blache, D., Hinton, M.R., Goode, J.A. and Kendrick, K.M.
Microdialysis measurement of neurochemical changes in the mediobasal hypothalamus of ovariectomized ewes during oestrus (649) 282
Fan, P.
Inhibition of the 5-HT_3 receptor-mediated current by the protein kinase inhibitor, H-7 (649) 310
Fisher, J.E., see Pu, C. (649) 217
Fredholm, B.B., see Cunha, R.A. (649) 208
Furness, L.E., see Wiertelak, E.P. (649) 19

Gafni, J., see Karibe, H. (649) 12
Galicich, J., see Merchant, T.E. (649) 1
Galli, T., Artaud, F., Torrens, Y., Godeheu, G., Desban, M., Glowinski, J. and Chéramy, A.
NMDA and carbachol but not AMPA affect differently the release of [^{3}H]GABA in striosome- and matrix-enriched areas of the rat striatum (649) 243
Glonek, T., see Merchant, T.E. (649) 1
Glowinski, J., see Galli, T. (649) 243
Godeheu, G., see Galli, T. (649) 243
Golabek, A.A., see Pluta, R. (649) 323
Goode, J.A., see Fabre-Nys, C. (649) 282
Gordon, J.R., see Boatright, J.H. (649) 339
Graham, S.H., see Karibe, H. (649) 12

Hamill, R.W., see Wetzel, D.M. (649) 117
Harris, N.C., see Qume, J.D.M. (649) 43
Hashimoto, K., see Takao, T. (649) 265
Hattori, R., see Kubota, Y. (649) 159
Himeno, M., see Konishi, Y. (649) 53
Hinton, M.R., see Fabre-Nys, C. (649) 282
Hishii, M., see Nitta, T. (649) 122
Ho, L.T., see Zochodne, D.W. (649) 147
Hoogendijk, W., see Van Zwieten, E.J. (649) 329
Horan, R., see Wiertelak, E.P. (649) 19

Ikeda, K., see Mizuguchi, M. (649) 197
Ikeda, T. and Puro, D.G.
Nerve growth factor: a mitogenic signal for retinal Müller glial cells (649) 260
Ikehara, A., see Matsuo, R. (649) 136
Iuvone, P.M., see Boatright, J.H. (649) 339
Iuvone, P.M., see Nir, I. (649) 85

Jensen, L.T., see Erickson, J.C. (649) 297
Jinnai, K., see Miyamoto, Y. (649) 313
Joëls, M., see Karst, H. (649) 234
Johansson, B., see Cunha, R.A. (649) 208
Johansson, K.U.I. and Carlberg, M.
NADPH-diaphorase histochemistry and nitric oxide synthase activity in deutocerebrum of the crayfish, *Pacifastacus leniusculus* (crustacea, decapoda) (649) 36

Kamoshita, S., see Mizuguchi, M. (649) 197
Karibe, H., Chen, S.F., Zarow, G.J., Gafni, J., Graham, S.H., Chan, P.H. and Weinstein, P.R.
Mild intraischemic hypothermia suppresses consumption of endogenous antioxidants after temporary focal ischemia in rats (649) 12
Karst, H., Wadman, W.J. and Joëls, M.
Corticosteroid receptor-dependent modulation of calcium currents in rat hippocampal CA1 neurons (649) 234
Katsumata, K., see Sakurada, T. (649) 319
Kayadjanian, N., Rétaux, S., Menétrey, A. and Besson, M.-J.
Stimulation by nicotine of the spontaneous release of [^{3}H]γ-aminobutyric acid in the substantia nigra and in the globus pallidus of the rat (649) 129
Kendrick, K.M., see Fabre-Nys, C. (649) 282
Kida, E., see Pluta, R. (649) 323
Kisara, K., see Sakurada, T. (649) 319
Kitagawa, I., see Abe, K. (649) 7
Koerner, J.F., see Schulte, M.K. (649) 203
Kohlmeier, K., see López-Rodríguez, F. (649) 271
Konishi, Y., Takahashi, K., Chui, D.-H., Rosenfeld, R.G., Himeno, M. and Tabira, T.
Insulin-like growth factor II promotes in vitro cholinergic development of mouse

septal neurons: comparison with the effects of insulin-like growth factor I (649) 53
Kott, J., see Doucette, R. (649) 334
Ksiezak-Reding, H., Morgan, K. and Dickson, D.W.
Tau immunoreactivity and SDS solubility of two populations of paired helical filaments that differ in morphology (649) 185
Kubota, Y., Hattori, R. and Yui, Y.
Three distinct subpopulations of GABAergic neurons in rat frontal agranular cortex (649) 159
Kurokawa, H., see Takao, T. (649) 265

Lanthorn, T.H., see Stittsworth Jr., J.D. (649) 353
Larsby, B., see Niklasson, M. (649) 151
Lees, G.J. and Leong, W.
Brain lesions induced by specific and non-specific inhibitors of sodium-potassium ATPase (649) 225
Lemaire, V., Deminière, J.-M. and Mormède, P.
Chronic social stress conditions differentially modify vulnerability to amphetamine self-administration (649) 348
Leong, W., see Lees, G.J. (649) 225
Li, H.M., see Wang, L.G. (649) 62
Li, J.S., see Wang, L.G. (649) 62
López-Rodríguez, F., Kohlmeier, K., Morales, F.R. and Chase, M.H.
State dependency of the effects of microinjection of cholinergic drugs into the nucleus pontis oralis (649) 271
Lossinsky, A.S., see Pluta, R. (649) 323
Lothman, E.W. and Williamson, J.M.
Closely spaced recurrent hippocampal seizures elicit two types of heightened epileptogenesis: a rapidly developing, transient kindling and a slowly developing, enduring kindling (649) 71

Maier, S.F., see Wiertelak, E.P. (649) 19
Martinez, J., see Wiertelak, E.P. (649) 19
Matsuo, R., Yamamoto, T., Ikehara, A. and Nakamura, O.
Effect of salivation on neural taste responses in freely moving rats: analyses of salivary secretion and taste responses of the chorda tympani nerve (649) 136
Memezawa, H., see Zhao, Q. (649) 253
Menétrey, A., see Kayadjanian, N. (649) 129
Merchant, T.E., Van der Ven, L.T.M., Minsky, B.D., Diamantis, P.M., Delapaz, R., Galicich, J. and Glonek, T.
^{31}P NMR phospholipid characterization of intracranial tumors (649) 1
Minokoshi, Y., Okano, Y. and Shimazu, T.
Regulatory mechanism of the ventromedial hypothalamus in enhancing glucose uptake in skeletal muscles (649) 343
Minsky, B.D., see Merchant, T.E. (649) 1
Miyamoto, Y. and Jinnai, K.
The inhibitory input from the substantia nigra to the mediodorsal nucleus neurons projecting to the prefrontal cortex in the cat (649) 313
Mizuguchi, M., Ikeda, K., Asada, M., Mizutani, S. and Kamoshita, S.
Expression of Bcl-2 protein in murine neural cells in culture (649) 197
Mizutani, S., see Mizuguchi, M. (649) 197
Morales, F.R., see López-Rodríguez, F. (649) 271
Morgan, K., see Ksiezak-Reding, H. (649) 185
Mormède, P., see Lemaire, V. (649) 348
Mossakowski, M.J., see Pluta, R. (649) 323

Nakamura, O., see Matsuo, R. (649) 136
Nakata, H., see Takao, T. (649) 265
Niklasson, M., Tham, R., Larsby, B. and Eriksson, B.
Effects of $GABA_B$ activation and inhibition on vestibulo-ocular and optokinetic responses in the pigmented rat (649) 151
Nir, I. and Iuvone, P.M.
Alterations in light-evoked dopamine metabolism in dystrophic retinas of mutant rds mice (649) 85
Nishioka, T., see Takao, T. (649) 265
Nishiyama, N., see Abe, K. (649) 7
Nitta, T., Hishii, M., Sato, K. and Okumura, K.
Selective expression of interleukin-10 gene within glioblastoma multiforme (649) 122

Ohba, M., see Sakurada, T. (649) 319
Okano, Y., see Minokoshi, Y. (649) 343
Okumura, K., see Nitta, T. (649) 122

Palmiter, R.D., see Erickson, J.C. (649) 297
Paré, W.P., see Tejani-Butt, S.M. (649) 27
Perez-Velazquez, J.L., Valiante, T.A. and Carlen, P.L.
Changes in calcium currents during ethanol withdrawal in a genetic mouse model (649) 305
Pluta, R., Kida, E., Lossinsky, A.S., Golabek, A.A., Mossakowski, M.J. and Wisniewski, H.M.
Complete cerebral ischemia with short-term survival in rats induced by cardiac arrest. I. Extracellular accumulation of Alzheimer's β-amyloid protein precursor in the brain (649) 323
Pu, C., Fisher, J.E., Cappon, G.D. and Vorhees, C.V.
The effects of amfonelic acid, a dopamine uptake inhibitor, on methamphetamine-induced dopaminergic terminal degeneration and astrocytic response in rat striatum (649) 217
Puro, D.G., see Ikeda, T. (649) 260

Qume, J.D.M. and Harris, N.C.
Pharmacological characterisation of excitatory synaptic transmission in the cat red nucleus in vivo (649) 43

Ravid, R., see Van Zwieten, E.J. (649) 329
Rétaux, S., see Kayadjanian, N. (649) 129
Ribeiro, J.A., see Cunha, R.A. (649) 208
Riekkinen, M., Tolonen, R. and Riekkinen Jr., P.
Interaction between 5-HT_{1A} and nicotinic cholinergic receptors in the regulation of water maze navigation behavior (649) 174
Riekkinen Jr., P., see Riekkinen, M. (649) 174
Roon, R.J., see Schulte, M.K. (649) 203
Rosenfeld, R.G., see Konishi, Y. (649) 53

Saito, H., see Abe, K. (649) 7
Sakurada, S., see Sakurada, T. (649) 319
Sakurada, T., Yogo, H., Katsumata, K., Tan-No, K., Sakurada, S., Kisara, K. and Ohba, M.
Differential antinociceptive effects of sendide, a NK_1-receptor antagonist, and morphine in the capsaicin test (649) 319
Sato, K., see Nitta, T. (649) 122
Schulte, M.K., Roon, R.J., Chalmers, D.J., Sunter, D.C. and Koerner, J.F.
Utilization of the resolved L-isomer of 2-amino-6-phosphonohexanoic acid (L-AP6) as a selective agonist for a quisqualate-sensitized site in hippocampal CA1 pyramidal neurons (649) 203
Sebastião, A.M., see Cunha, R.A. (649) 208
Sewell, A.K., see Erickson, J.C. (649) 297
Shimazu, T., see Minokoshi, Y. (649) 343
Sibley, D.R., see Ariano, M.A. (649) 95
Siesjö, B.K., see Zhao, Q. (649) 253
Smith, M.-L., see Zhao, Q. (649) 253
Stittsworth Jr., J.D. and Lanthorn, T.H.
Comparison of neuronal responses to experimental ischemia in gerbil and rat hippocampal slices (649) 353
Sunter, D.C., see Schulte, M.K. (649) 203
Swaab, D.F., see Van Zwieten, E.J. (649) 329

Tabira, T., see Konishi, Y. (649) 53
Takahashi, K., see Konishi, Y. (649) 53
Takao, T., Nakata, H., Tojo, C., Kurokawa, H., Nishioka, T., Hashimoto, K. and De Souza, E.B.
Regulation of interleukin-1 receptors and hypothalamic-pituitary-adrenal axis by lipopolysaccharide treatment in the mouse (649) 265
Tan-No, K., see Sakurada, T. (649) 319
Tejani-Butt, S.M., Paré, W.P. and Yang, J.
Effect of repeated novel stressors on depressive behavior and brain norepinephrine receptor system in Sprague–Dawley and Wistar Kyoto (WKY) rats (649) 27
Tham, R., see Niklasson, M. (649) 151
Thorat, S.N., see Bhargava, H.N. (649) 111
Tojo, C., see Takao, T. (649) 265
Tolonen, R., see Riekkinen, M. (649) 174
Torrens, Y., see Galli, T. (649) 243

Valiante, T.A., see Perez-Velazquez, J.L. (649) 305

Van der Kloot, W.
Anandamide, a naturally-occurring agonist of the cannabinoid receptor, blocks adenylate cyclase at the frog neuromuscular junction (649) 181
Van der Ploeg, I., see Cunha, R.A. (649) 208
Van der Ven, L.T.M., see Merchant, T.E. (649) 1
Van Zwieten, E.J., Ravid, R., Hoogendijk, W. and Swaab, D.F.
Stable vasopressin innervation in the degenerating human locus coeruleus in Alzheimer's disease (649) 329
Vorhees, C.V., see Pu, C. (649) 217

Wadman, W.J., see Karst, H. (649) 234
Wang, L.G., Li, H.M. and Li, J.S.
Formalin induced FOS-like immunoreactive neurons in the trigeminal spinal caudal subnucleus project to contralateral parabrachial nucleus in the rat (649) 62
Watkins, L.R., see Wiertelak, E.P. (649) 19
Weinstein, P.R., see Karibe, H. (649) 12
Westrum, L., see Doucette, R. (649) 334
Wetzel, D.M., Bohn, M.C. and Hamill, R.W.
Postmortem stability of mRNA for glucocorticoid and mineralocorticoid receptor in rodent brain (649) 117
Wiertelak, E.P., Furness, L.E., Horan, R., Martinez, J., Maier, S.F. and Watkins, L.R.
Subcutaneous formalin produces centrifugal hyperalgesia at a non-injected site via the NMDA–nitric oxide cascade (649) 19
Williamson, J.M., see Lothman, E.W. (649) 71
Winge, D.R., see Erickson, J.C. (649) 297
Wisniewski, H.M., see Pluta, R. (649) 323

Yamamoto, T., see Matsuo, R. (649) 136
Yang, J., see Tejani-Butt, S.M. (649) 27
Yogo, H., see Sakurada, T. (649) 319
Yui, Y., see Kubota, Y. (649) 159

Zarow, G.J., see Karibe, H. (649) 12
Zhao, Q., Memezawa, H., Smith, M.-L. and Siesjö, B.K.
Hyperthermia complicates middle cerebral artery occlusion induced by an intraluminal filament (649) 253
Zochodne, D.W. and Ho, L.T.
Neonatal guanethidine treatment alters endoneurial but not dorsal root ganglion perfusion in the rat (649) 147